




Mud Pump Suction Specification Sheet



Part Number MUDPUMP100-XX

Mud Pump Suction

Designed as an oilfield suction hose used between the slush pump and mud pit to absorb the muds. Has a tank truck hose construction.

Tube Nitrile (NBR) **Cover** Neoprene (CR)

Reinforcement Multiple textile plies, heavy gauge helix wire.







Safety Factor Minimum 3 to 1



-40° F to 180° F

O&G

W

 ID	 OD	 Max WP	 Suction	 Bend Radius	 Weight	Standard Length
inch	inch	psi	in./HG	inch	lbs/ft	feet
6	7.50	100	30 Full Vacuum	36	9.7	6 feet
8	9.63			48	15.9	
10	11.75			60	22.0	
12	13.88			72	28.3	

TEST DOCUMENTATION



Suggested Fittings NPT or Beveled Lengths up to 50 feet available upon request.

Mud Pump Suction

- ☐ 6"
- ☐ 8"
- ☐ 10"
- ☐ 12"

APPROVAL PROCESS

JOB: _____ DATE: ____/____/____

MEETS DIMENSIONAL SPECIFICATIONS: ☐ YES ☐ NO

MEETS MATERIAL SPECIFICATIONS: ☐ YES ☐ NO

MEETS PRESSURE / TEMPERATURE SPECIFICATIONS: ☐ YES ☐ NO

NOTES: _____

ENGINEER NAME: _____

ENGINEER SIGNATURE: _____



**Midwest Hose
& Specialty, Inc.**



Find nearest location

Print setting must be on
best quality for scanning

Corporate Headquarters
3312 S. I-35 Service Road
Oklahoma City, OK 73129
405 - 670 - 6718

www.midwesthose.com